AMENDMENT TO THE CLAIMS

The following claim listing replaces all prior listings and versions of the claims:

LISTING OF CLAIMS

1. (Currently Amended) An imaging device (1a) having an image blur compensation means (20) for compensating a blur of an image to be inputted to an imaging sensor (4) via an imaging optical system (L) and being operable to shoot in a consecutive shooting mode in which a plurality of frames (1a and 1b) of the an image are consecutively shot through one operation of a shutter operation section (36) and shot image signals are generated, the imaging device comprising:

an image blur compensation section for compensating a blur of the image;

an operation section means (39 and 40) for setting the consecutive mode;

an recording section means (12) for recording the plurality of the consecutively shot frames (1a and 1b) of the image; and

a_display means-(55) for displaying the frames of the shot image, wherein when the consecutive shooting mode is set by the operation section means-(39 and 40), in response to the one operation of the shutter operation section, shooting with compensation of the blur of the image and shooting without the compensation are consecutively performed-shooting with and without compensation, on the image to be inputted to the imaging sensor (4), using the image blur compensation means (20), is consecutively performed.

(Currently Amended) The imaging device (1a) according to claim 1, wherein the plurality of
the consecutively shot frames (1a and 1b) of the image can be displayed on the display means (48
and 55).

- 3. (Currently Amended) The imaging device (1b) according to claim 2, further comprising an image display controller control means (3 and 45) for displaying the plurality of the consecutively shot frames (1a' and 1b') of the image adjacent to each other on the display-means (48 and 55).
- 4. (Currently Amended) The imaging device (4b) according to claim 3, further including an enlarging display operation section means (45) for displaying the plurality of the consecutively shot frames (1a' and 1b') of the image on the display means (48 and 55) in an enlarged manner.
- 5. (Currently Amended) The imaging device according to claim 1, <u>further comprising an optical system</u>, wherein the optical system (L) includes an imaging lens unit (2) which is automatically set at a telephoto limit in conjunction with an operation of the operation <u>section means (39 and 40)</u>.
- (Currently Amended) The imaging device (1a) according to claim 1, further comprising:
 a flash generation section means (44) and
- a flash generation controller control means (3 and 43) for prohibiting, in response to an operation of the operation section means (39 and 40), the flash generation section means (44) from generating a flash.
- 7. (Currently Amended) The imaging device (1e) according to claim 1, further comprising a flash generation section and a flash generation controller control means (43) for controlling, in

response to operations of the operation section means (39 and 40), a quantity of a flash generated by the flash generation section means (444).

- 8. (Currently Amended) The imaging device (1b) according to claim 1, further comprising an image signal output section means (47) for externally outputting the shot image signals (1a and 1b) of the shot image.
- 9. (Currently Amended) The imaging device (1b) according to claim 1, further comprising an image display means (48) for displaying the shot frames of the image in accordance with the shot image signals (1a and 1b) of the frames of the image.
- 10. (Currently Amended) The imaging device (1e) according to claim 1, further comprising an image printing section means (52) for printing the shot frames of the image in accordance with the shot image signals (1a and 1b) of the frames of the image.